

MEETING ABSTRACT

Open Access

Scintillation properties of Ca co-doped L(Y)SO:Ce between 193 K and 373 K for TOF-PET/MRI


David N ter Weele*, Dennis R Schaart, Pieter Dorenbos

From PSMR14: 3rd Conference in PET/MR and SPECT/MR Kos Island, Greece. 19-21 May 2014


Faculty of Applied Sciences, Delft University of Technology, Mekelweg 15, Delft, 2629 JB, the Netherlands

Time-of-flight Positron Emission Tomography (TOF-PET) and TOF-PET/MRI require scintillators with high light yield, short decay time, and short rise time in order to obtain high timing resolution. LSO:Ce and LYSO:Ce are commonly used. Ca co-doped LSO:Ce shows improved scintillation properties. The decay time constant of LSO:Ce,0.2%Ca (~33 ns) is shorter than standard LSO:Ce (~38-40 ns), and it has about 15% higher light yield. We measured scintillation pulse shapes and photoelectron yields of LSO:Ce, LSO:Ce,0.2%Ca, LYSO:Ce,20ppmCa, LYSO:0.11%Ce,0.2%Mg, and LYSO:0.2% Ce,0.2%Ca at temperatures ranging from 193 K to 373 K. To study rise times we built a set-up in which samples are excited by 100 ps (FWHM) x-ray pulses.

Figure 1 shows that the scintillation rise time of LSO:Ce,0.2%Ca is constant between 273 K and 373 K, while the decay time constant decreases. Figure 2 shows that the light yield of LSO:Ce,0.2%Ca decreases with rising temperature. We noticed that the decrease in light yield is entirely caused by non-radiative decay of excited Ce³⁺ centres. This







quenching mechanism does not worsen the timing resolution, as opposed to recombination of electron-hole pairs. It follows that the timing resolution of LSO:Ce(,0.2%Ca) is constant over the entire temperature range, in accordance with the timing model described in [1].

Published: 29 July 2014

Reference

 Seifert S, van Dam HT, Schaart DR: The lower bound on the timing resolution of scintillation detectors. Phys Med Biol 2012, 57:1797-1814.

doi:10.1186/2197-7364-1-S1-A10

Cite this article as: ter Weele et al.: Scintillation properties of Ca co-doped L(Y)SO:Ce between 193 K and 373 K for TOF-PET/MRI. EJNMMI Physics 2014 1(Suppl 1):A10.

Submit your manuscript to a SpringerOpen journal and benefit from:

- ► Convenient online submission
- ► Rigorous peer review
- ▶ Immediate publication on acceptance
- ► Open access: articles freely available online
- ► High visibility within the field
- ► Retaining the copyright to your article

Submit your next manuscript at ▶ springeropen.com